# Certificate of Analysis

Adams INDEPENDENT TESTING

www.AITLabGroup.com | 888.897.4367 | AIT@AITLabgroup.com

## Sundae Driver

## Leech Lake Cannabis Co

Sample ID: AIT-SAMP-1146
Product Matrix: Cannabis or Hemp Resins for Inhalation

Cass Lake, MN
Level of Analysis: Original

Report Issuance: 09/24/2026

Collected (Sampled): 09/07/2026
Received By Testing Lab: 09/14/2026 01:04 PM
Sample Preparation: 09/21/2026, 09/18/2026, 09/22/2026, 09/23/2026

Strain:
Batch No:
Batch Size:

Sampling Method: SOP Client Method
Description:
Metrc ID: 1A4500300000ED9000001588

| 91.458% Total THC | Pass Mycotoxins | Pass Pesticides | Pass Microbials |
|---|---|---|---|
| Pass Heavy Metals | Pass Residual Solvents | Not Tested Foreign Matter | Not Tested Homogeneity |

ANALYZED PER MN OCM
QUALITY CONTROL VERIFIED
TECHNICAL AUTHORITY

## Cannabinoid Potency

91.458%
Total THC

| Analyte | MU | LOQ | Results | Results |
|---|---|---|---|---|
| | % | mg/g | mg/g | % |
| CBDa | 4.8 | 5 | <LOQ | <LOQ |
| CBGa | 7.5 | 5 | <LOQ | <LOQ |
| CBG | 3.1 | 5 | 29.4523 | 2.9452 |
| CBD | 5.8 | 5 | <LOQ | <LOQ |
| THCV | 3.9 | 5 | <LOQ | <LOQ |
| CBN | 3.9 | 5 | 11.4666 | 1.1467 |
| Δ9-THC | 6.5 | 5 | 914.5794 | 91.4579 |
| Δ8-THC | 8.4 | 5 | <LOQ | <LOQ |
| CBC | 6.7 | 5 | <LOQ | <LOQ |
| THCa | 11.7 | 5 | <LOQ | <LOQ |

Test Method: MTH-CP-01
Total Primary Sample Weight: 0.05084

Equations: Total THC=(THCa*0.877)+Delta 9 THC | Total CBD = (CBDa*0.877)+CBD | Purity Equation=unknown cannabinoids' estimated concentration based on peak area comparison to the CBD calibration curve. | Other Artificially Derived Cannabinoids = combined total of 0.5 milligrams of all other cannabinoids per serving other than delta-9 THC, CBD, CBG, CBN, and CBC |Total [Analyte] mg Per Container=Servings Per Container*Total [Analyte] mg/g | Total [Analyte] mg Per Serving=Servings Per Container*Total [Analyte] mg/g | Total Variance=Product Label within 15% of label amount for each compound listed, or <25% if more than 70% THC present.

Location of Analysis: 2224 26th st S Moorhead, MN 56560

This product has been tested by Adams Independent Testing using valid testing methods. Values reported apply only to the product testing and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reported except in full, without the written approval and Adams Independent Testing. Test results that are Pass/Fail are reported using the OCM MN Technical Authority v2.0 07/01/2026. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for Pass/Fail conditions, but available upon request. Another disclaimer about not all potential/existing hazards were tested.
MN OCM Pass/Fail determinations are reported in accordance with Minnesota Office of Cannabis Management (OCM) Technical Authority v2.0. Results exceeding applicable regulatory limits are reported as Fail and are indicated in red.

Brad Towey, PH.D. | Principal Scientist

Mark Adams | COO

MN OCM License No: TF-L25-000011-01-TST
METRC No: TF-L25-000011-01-TST



2224 26th st S Moorhead, MN 56560

**Sundae Driver** — **Leech Lake Cannabis Co**

Sample ID: AIT-SAMP-1146 — Cass Lake, MN

Report Issuance: 09/24/2026 — Product Matrix: Cannabis or Hemp Resins for Inhalation — Level of Analysis: Original

## Microbial Analysis

| Analyte | Limit | Result | Status |
|---|---|---|---|
| A. niger | Not detected in 5 g | Not detected in 5 g | Pass |
| A. flavus | Not detected in 5 g | Not detected in 5 g | Pass |
| A. fumigatus | Not detected in 5 g | Not detected in 5 g | Pass |
| A. terreus | Not detected in 5 g | Not detected in 5 g | Pass |
| Enterobacteriaceae (CFU/g) | 150 | <100 | Pass |
| Listeria Monocytogenes | Not detected in 5 g | Not detected in 5 g | Pass |
| Salmonella species | Not detected in 5 g | Not detected in 5 g | Pass |
| Shiga toxin-producing E. coli | Not detected in 5 g | Not detected in 5 g | Pass |

Test Method: MTH-MICRO-ASP-01, MTH-MICRO-EN-01, MTH-MICRO-LIS-01, MTH-MICRO-SLM-01, MTH-MICRO-STCSLM-01
Total Primary Sample Weight: 4.94421, 5.05754, 5.05499

## Heavy Metals

| Analyte | MU | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | % | PPM | PPM | PPM | |
| Arsenic | 10.7 | 0.05 | 0.2 | <LOQ | Pass |
| Cadmium | 30.7 | 0.05 | 0.2 | <LOQ | Pass |
| Mercury | 17.6 | 0.05 | 0.1 | <LOQ | Pass |
| Lead | 5.4 | 0.05 | 0.5 | <LOQ | Pass |

Test Method: MTH-HM-01
Total Primary Sample Weight: 0.10141
Equations: Concentration (ppb, µg/kg) = S (Concentration of Analyte (ng/g) * DF (Dilution Factor) * (M (Mass of Analytical Solution)/m (Mass (g) of Sample Portion))

## Mycotoxins

| Analyte | MU | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | % | PPB | PPB | PPB | |
| Aflatoxin B1 | 21.6 | 8 | 20 | <LOQ | PASS |
| Aflatoxin B2 | 29.2 | 8 | 20 | <LOQ | PASS |
| Aflatoxin G1 | 32.6 | 8 | 20 | <LOQ | PASS |
| Aflatoxin G2 | 29.1 | 8 | 20 | <LOQ | PASS |
| Ochratoxin A | 29.1 | 8 | 20 | <LOQ | PASS |
| Total Mycotoxins | N/A | N/A | 20 | 0 | PASS |

Test Method: MTH-PM-01; MTH-MY-01
Total Primary Sample Weight: 0.49570; 0.04920

Location of Analysis: 2224 26th st S Moorhead, MN 56560

This product has been tested by Adams Independent Testing using valid testing methods. Values reported apply only to the product testing and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reported except in full, without the written approval and Adams Independent Testing. Test results that are Pass/Fail are reported using the OCM MN Technical Authority v2.0 07/01/2026. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for Pass/Fail conditions, but available upon request. Another disclaimer about not all potential/existing hazards were tested.
MN OCM Pass/Fail determinations are reported in accordance with Minnesota Office of Cannabis Management (OCM) Technical Authority v2.0. Results exceeding applicable regulatory limits are reported as Fail and are indicated in red.

Brad Towey, PH.D. | Principal Scientist

Mark Adams | COO



MN OCM License No: TF-L25-000011-01-TST
METRC No: TF-L25-000011-01-TST

**2224 26th st S Moorhead, MN 56560**

## Sundae Driver

## Leech Lake Cannabis Co

Sample ID: AIT-SAMP-1146
Product Matrix: Cannabis or Hemp Resins for Inhalation

Cass Lake, MN
Level of Analysis: Original

Report Issuance: 09/24/2026

## Pesticides

| Analyte | MU | LOQ | Limit | Result | Status | Analyte | MU | LOQ | Limit | Result | Status | Analyte | MU | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | % | PPM | PPM | PPM | | | % | PPM | PPM | PPM | | | % | PPM | PPM | PPM | |
| Abamectin | 66 | 0.005 | 0.5 | <LOQ | Pass | Fenoxycarb | 5.6 | 0.005 | 0.2 | <LOQ | Pass | Pyrethrin I | 10.1 | 0.005 | 1 | <LOQ | Pass |
| Acephate | 46 | 0.005 | 0.4 | <LOQ | Pass | Fenpyroximate | 15.6 | 0.005 | 0.4 | <LOQ | Pass | Pyridaben | 13.6 | 0.005 | 0.2 | <LOQ | Pass |
| Acequinocyl | 35.2 | 0.005 | 2 | <LOQ | Pass | Fipronil | 15 | 0.005 | 0.4 | <LOQ | Pass | Spinosyn A | 6.6 | 0.005 | N/A | <LOQ | N/A |
| Acetamiprid | 13 | 0.005 | 0.2 | <LOQ | Pass | Flonicamid | 9.7 | 0.005 | 1 | <LOQ | Pass | Spinosyn D | 5.7 | 0.005 | N/A | <LOQ | N/A |
| Azadirachtin | 30 | 0.005 | 1 | <LOQ | Pass | Fludioxonil | 16.6 | 0.005 | 0.4 | <LOQ | Pass | Spinosad | 6.4 | 0.005 | 0.2 | <LOQ | Pass |
| Azoxystrobin | 17.4 | 0.005 | 0.2 | <LOQ | Pass | Hexythiazox | 10.4 | 0.005 | 1 | <LOQ | Pass | Spiromesifen | 7.1 | 0.005 | 0.2 | <LOQ | Pass |
| Bifenazate | 2.9 | 0.005 | 0.2 | <LOQ | Pass | Imazalil | 39.5 | 0.005 | 0.2 | <LOQ | Pass | Spirotetramat | 4 | 0.005 | 0.2 | <LOQ | Pass |
| Bifenthrin | 64.3 | 0.005 | 0.2 | <LOQ | Pass | Imidacloprid | 12.2 | 0.005 | 0.4 | <LOQ | Pass | Tebuconazole | 12.9 | 0.005 | 0.4 | <LOQ | Pass |
| Boscalid | 10.3 | 0.005 | 0.4 | <LOQ | Pass | Kresoxim Methyl | 6.6 | 0.005 | 0.4 | <LOQ | Pass | Thiamethoxam | 9.7 | 0.005 | 0.2 | <LOQ | Pass |
| Carbaryl | 10.6 | 0.005 | 0.2 | <LOQ | Pass | Malathion | 10 | 0.005 | 0.2 | <LOQ | Pass | Trifloxystrobin | 12.4 | 0.005 | 0.2 | <LOQ | Pass |
| Chlorantraniliprole | 13.4 | 0.005 | 0.2 | <LOQ | Pass | Metalaxyl | 19.4 | 0.005 | 0.2 | <LOQ | Pass | | | | | | |
| Chlorfenapyr | 21.9 | 0.005 | 1 | <LOQ | Pass | Methiocarb | 2.1 | 0.005 | 0.2 | <LOQ | Pass | | | | | | |
| Chlormequat Chloride | 13.6 | 0.005 | 0.2 | <LOQ | Pass | Methomyl | 25 | 0.005 | 0.4 | <LOQ | Pass | | | | | | |
| Chlorpyrifos | 5.8 | 0.005 | 0.2 | <LOQ | Pass | Myclobutanil | 7.4 | 0.005 | 0.2 | <LOQ | Pass | | | | | | |
| Clofentezine | 11.7 | 0.005 | 0.2 | <LOQ | Pass | Naled | 3.1 | 0.005 | 0.5 | <LOQ | Pass | | | | | | |
| Cyfluthrin | 25.4 | 0.005 | 1 | <LOQ | Pass | Oxamyl | 17.8 | 0.005 | 1 | <LOQ | Pass | | | | | | |
| Cypermethrin | 15 | 0.005 | 1 | <LOQ | Pass | Paclobutrazol | 4.8 | 0.005 | 0.4 | <LOQ | Pass | | | | | | |
| Daminozide | 24.6 | 0.005 | 1 | <LOQ | Pass | Permethrins | 63.8 | 0.005 | 0.3 | <LOQ | Pass | | | | | | |
| Diazinon | 5.4 | 0.005 | 0.2 | <LOQ | Pass | Phosmet | 14.6 | 0.005 | 0.2 | <LOQ | Pass | | | | | | |
| Dichlorvos | 14.1 | 0.005 | 0.1 | <LOQ | Pass | Piperonyl Butoxide | 6.3 | 0.005 | 2 | <LOQ | Pass | | | | | | |
| Dimethoate | 15.5 | 0.005 | 0.2 | <LOQ | Pass | Prallethrin | 6 | 0.005 | 0.2 | <LOQ | Pass | | | | | | |
| Etofenprox | 42.9 | 0.005 | 0.4 | <LOQ | Pass | Propiconazole | 10.6 | 0.005 | 0.4 | <LOQ | Pass | | | | | | |
| Etoxazole | 11.5 | 0.005 | 0.2 | <LOQ | Pass | Propoxur | 12.3 | 0.005 | 0.2 | <LOQ | Pass | | | | | | |

Test Method: MTH-PM-01; MTH-PE-01
Total Primary Sample Weight: 0.49570; 0.04920

Location of Analysis: 2224 26th st S Moorhead, MN 56560

This product has been tested by Adams Independent Testing using valid testing methods. Values reported apply only to the product testing and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reported except in full, without the written approval and Adams Independent Testing. Test results that are Pass/Fail are reported using the OCM MN Technical Authority v2.0 07/01/2026. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for Pass/Fail conditions, but available upon request. Another disclaimer about not all potential/existing hazards were tested.
MN OCM Pass/Fail determinations are reported in accordance with Minnesota Office of Cannabis Management (OCM) Technical Authority v2.0. Results exceeding applicable regulatory limits are reported as Fail and are indicated in red.

Brad Towey, PH.D. | Principal Scientist

Mark Adams | COO

## Sundae Driver

## Leech Lake Cannabis Co

Sample ID: AIT-SAMP-1146
Product Matrix: Cannabis or Hemp Resins for Inhalation

Cass Lake, MN
Level of Analysis: Original

Report Issuance: 09/24/2026

## Residual Solvents

| Analyte | MU | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | % | PPM | PPM | PPM | |
| Isopropanol (2-Propanol) | 9.4 | 1 | 500 | 27.7157 | Pass |
| Acetone | 13.3 | 1 | 750 | 11.51048 | Pass |
| Benzene | 10.9 | 1 | 1 | <LOQ | Pass |
| Butane | 12.5 | 600 | 800 | <LOQ | Pass |
| Chloroform | 14.5 | 1 | 1 | <LOQ | Pass |
| Cyclohexane | 14.2 | 1 | 300 | <LOQ | Pass |
| Dichloromethane | 14.1 | 1 | 125 | <LOQ | Pass |
| Ethanol | 9.4 | 1 | 1000 | 88.49682 | Pass |
| Ethyl Acetate | 18.4 | 1 | 400 | <LOQ | Pass |
| Heptane | 27 | 1 | 500 | <LOQ | Pass |
| Hexane | 16.8 | 1 | 50 | <LOQ | Pass |
| Methanol | 27.5 | 4 | 250 | 10.56351 | Pass |
| Pentane | 38.9 | 1 | 750 | <LOQ | Pass |
| Propane | 32.5 | 600 | 2100 | <LOQ | Pass |
| Toluene | 8.8 | 1 | 150 | <LOQ | Pass |
| Total Xylenes | 8.8 | 3 | 150 | <LOQ | Pass |
| Trichloroethene | 14 | 1 | 25 | <LOQ | Pass |

Test Method: MTH-RS-01
Total Primary Sample Weight: 0.04900
Equations: Concentration (µg/g)=Amount of analyte from GC-MS (µg)/Mass of sample (g)

Location of Analysis: 2224 26th st S Moorhead, MN 56560

This product has been tested by Adams Independent Testing using valid testing methods. Values reported apply only to the product testing and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reported except in full, without the written approval and Adams Independent Testing. Test results that are Pass/Fail are reported using the OCM MN Technical Authority v2.0 07/01/2026. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for Pass/Fail conditions, but available upon request. Another disclaimer about not all potential/existing hazards were tested.
MN OCM Pass/Fail determinations are reported in accordance with Minnesota Office of Cannabis Management (OCM) Technical Authority v2.0. Results exceeding applicable regulatory limits are reported as Fail and are indicated in red.

Brad Towey, PH.D. | Principal Scientist

Mark Adams | COO